

Drug situation in Europe – based on General population surveys

João Matias

June 2014

GPS Expert Meeting

European Drug Report (EDR) package

EUROPEAN DRUG REPORT PACKAGE 2014

A set of interlinked elements allowing full access to the available data and analysis on the drug problem in Europe



Trends and developments

providing a top-level analysis of key developments (print and online)



Data and statistics

containing full data arrays, graphics and methodological information (online)



Country overviews

national data and analysis at your fingertips (online)



Perspectives on drugs

interactive windows on key issues (online)






Cannabis



Cannabis: Europe's most commonly used drug


73.6 million adults ever used cannabis

14.6 million young adults used last year





Cannabis use in Europe






Cannabis: divergent national trends

9 countries — statistically significant trend

Regional patterns observable

Latest surveys — divergence continues






Cannabis-related problems continue


Almost 1% of adults daily users

Most frequently reported drug by new treatment entrants





Cannabis market: herbal seizures overtaken resin





Acute emergencies for cannabinoids rare, but increasing

Cannabis-related emergencies — a growing problem in high-prevalence countries



Synthetic cannabinoids — new dimension

Use limited, but can be highly potent








Stimulants



A geographically divided stimulant market

2.2 millionEuropeans(15–34 years old)used cocaine inthe last year



1.2 million used amphetamines

1.3 million used ecstasy




Cocaine: continued signs of decline

Most commonly used stimulant, but...


Declines seen for higher prevalence countries

And in 11 of 12 new surveys






Cocaine: continued signs of decline




Quantity of cocaine seizured — stable (drop from 2006)


Declines in 11 of 12 new surveys



Seizures decline from 2008




Decrease for first-time treatment entrants







Amphetamines use

Last year prevalence of amphetamines use among young adults (15-34): selected trends (left) and most recent data (right)








Percent <0.5 0.51-1.0 1.1-1.5 >1.5 No data





Amphetamines supply: signs of increased production of methamphetamine


Number of amphetamine seizures and quantity seized, 2002–12

Number of methamphetamine seizures and quantity seized, 2002-12











Amphetamine use stable: new methamphetamine outbreaks

CZ and SK: longer term entrenched patterns of use, but treatment up

CZ/DE: cross border markets

North: interlinked with amphetamine

South: crystal smoking for first time, pipes used


MSM in large cities — IV use (slamming)





Ecstasy use

Last year prevalence of ecstasy use among young adults (15-34): selected trends (left) and most recent data (right)






Ecstasy: increased availability of high purity MDMA powder

- Low and stable prevalence trends
- Seizures decline small rebound
- Upturn mirrored in purity data
- Role of precursor controls (PMK)

Numbers of ecstasy tablets seized, 2002-12

Tablets (millions)







Conclusions

- Increasingly complex market with old/new drug divide becoming less relevant
- Understanding these new patterns key for public health
- Interpreting data more challenging
- European Core Health Indicator OECD Health at a Glance
- Old Statistical Bulletin, now European Drug Data (EDD)
 - Alcohol and tobacco data now available
 - Data by gender and all age groups





emcdda.europa.eu/edr2014

emcdda.europa.eu

- twitter.com/emcdda
- f facebook.com/emcdda
- youtube.com/emcddatube
- flickr.com/photos/emcdda